



**Calhoun: The NPS Institutional Archive**

---

Faculty and Researcher Publications

Faculty and Researcher Publications

---

2011

# Using Android Smartphones as Inexpensive Sensors

Department of Computer Science

---

<http://hdl.handle.net/10945/37269>



Calhoun is a project of the Dudley Knox Library at NPS, furthering the precepts and goals of open government and government transparency. All information contained herein has been approved for release by the NPS Public Affairs Officer.

**Dudley Knox Library / Naval Postgraduate School  
411 Dyer Road / 1 University Circle  
Monterey, California USA 93943**

<http://www.nps.edu/library>

# Using Android smartphones as inexpensive sensors




*Neil C. Rowe, Gurminder Singh, and  
Riqui Schwamm*

U.S. Naval Postgraduate School  
Monterey, California, United States  
ncrowe@nps.edu

## The Android phone has useful sensors

- ❑ Audio
- ❑ Average sound volume
- ❑ Camera
- ❑ Vibration sensor
- ❑ Motion sensor (infrared)
- ❑ Light sensor



We are writing programs to detect approaching people. The goal is to replace expensive military sensors for situation awareness with cheap COTS products.

## Experiments on situation awareness


---

- ❑ Indoor experiments: Test the sensor capabilities.
- ❑ Outdoor experiments: Need to adjust the light and infrared thresholds, and handle background noise.
- ❑ We used the Android API to write programs to analyze sensor values.
- ❑ Camera images are best way to transmit situation information, but there are limits:
  - More than one picture per second is unreasonable, so might miss a quick transit.
  - It is difficult to take pictures at a consistent rate.



## Evaluation of the Android sensors for the situation-awareness task

- ❑ Audio: Need program to filter 20-100 hertz frequencies to find footsteps, looking for 0.4-1.0 periodicity.
- ❑ Average sound volume: helps some, but lots of false alarms.
- ❑ Camera: Too hard to do much image processing.
- ❑ Vibration sensor: Only useful when person is close and is not stealthy; surface material affects results considerably.
- ❑ Motion sensor (infrared): Notices people only when within a foot or so.
- ❑ Light sensor: Notices people only if they block light (but is located on the back, needs a mirror); false alarms with clouds.



## Design plan

---

- Use weighted sum of normalized values for the sensors.
- Compare to a threshold, trigger camera if over the threshold.
- Transmit triggered images to a central location for analysis.

## Conclusions

---

- ❑ The Android API is better and less restricted than the Iphone.
- ❑ The Android sensors are better than the Iphone sensors.
- ❑ Hence the Android appears better than the Iphone as a sensor platform.
- ❑ Using it will save much money over traditional military sensors.